

Australian BioResources
Final Health Screening Summary Report - Sale Strains



Location - ABR Sales Strains

The ABR Sales Strains are held in 2 different areas-

a. Supermax barrier - Free from murine astrovirus and S. aureus

b. Maximum barrier sales strains - Free from S. aureus

| Supermax barrier | Location |
|--|----------|
| B6.129S7-Rag1<tm1Mom>/JAusb | B02 |
| BALB/c-Fox1nuAusb (Nude) | B02 |
| NOD.Cg-Prkdc<scid>IL2rg<tm1Whl/SzJAusb | B10 |
| SwissTacAusb | B10 |

| Maximum barrier | Location |
|-------------------------------------|----------|
| B6.SjL-PtprcaPepcb/BoyJAusb (Ptprc) | B11 |
| BALB/cJAusb | B11 |
| C57BL6/JAusb | B11, B8 |
| FVB/nJAusb | B11 |

| Supermax barrier | | | | | | | | Sample System | Test Method |
|-------------------|---------|---------|---------|---------|---------|---------|--------------|---------------|-------------|
| | Nov-24 | Feb-25 | May-25 | Aug-25 | Nov-25 | Feb-26 | Past 18 mths | | |
| Viruses | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | | |
| Murine Astrovirus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |

Australian BioResources
Final Health Screening Summary Report - Sale Strains



| | | | | | | | | | |
|-----------------------------------|-----|------|------|------|------|------|-------|--------|-------------|
| Mouse Hepatitis Virus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Mouse Parvovirus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Minute Virus of Mice | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Mouse Rotavirus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Theiler`s Encephalomyelitis virus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Mouse Norovirus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Pneumonia Virus of Mice | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Adenovirus Type 1&2 | 0/5 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Hantaan Virus | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Ectromelia | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| LCMV | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Murine Cytomegalovirus | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Polyoma Virus | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Reovirus Type 3 | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Sendai Virus | 0/5 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/77 | EAD | PCR |
| K Virus | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Mouse Kidney Parvovirus | NT | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/72 | EAD | PCR |
| Bacteria | | | | | | | | | |
| Mycoplasma pulmonis | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Helicobacter spp | 0/5 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/77 | EAD | PCR |
| CAR Bacillus | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Clostridium piliforme | 0/5 | 0/11 | NT | 0/13 | NT | 0/17 | 0/46 | EAD | PCR |
| Bordetella bronchiseptica | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |
| Citrobacter rodentium | 0/6 | 0/11 | NT | 0/13 | NT | 0/17 | 0/47 | EAD | PCR |
| Corynebacterium bovis | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Corynebacterium kutscheri | 0/6 | 0/11 | 0/27 | 0/13 | 0/26 | 0/48 | 0/131 | CM/EAD | Culture/PCR |
| Klebsiella oxytoca | 0/6 | 0/11 | 0/16 | 0/24 | 0/26 | 0/48 | 0/131 | CM/EAD | Culture/PCR |
| Klebsiella pneumoniae | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |
| Pasteurella pneumotropica | 0/5 | 0/11 | 0/27 | 0/24 | 0/26 | 0/48 | 0/141 | CM/EAD | Culture/PCR |
| Other Pasteurellaceae | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |
| Pseudomonas aeruginosa | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |

Australian BioResources
Final Health Screening Summary Report - Sale Strains



| | | | | | | | | | |
|-----------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------------|--------------------------|--------------------|
| Proteus mirabilis | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |
| Salmonella spp. | 0/6 | 0/11 | NT | 0/13 | NT | 0/17 | 0/47 | EAD | PCR |
| Staphylococcus aureus | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/48 | 0/109 | CM/EAD | Culture/PCR |
| Streptobacillus moniliformis | 0/6 | 0/11 | NT | 0/13 | NT | 0/17 | 0/47 | EAD | PCR |
| Streptococcus pneumoniae | 0/6 | 0/11 | 0/16 | 0/13 | 0/26 | 0/31 | 0/103 | CM | Culture |
| Beta-haemolytic Streptococcus | 0/6 | 0/22 | 0/27 | 0/24 | 0/26 | 0/31 | 0/136 | CM | Culture |
| Parasites | | | | | | | | | |
| Fur mites | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Syphacia spp | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Aspicularis tetraptera | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Giardia muris | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Spironucleus muris | 0/6 | 0/11 | 0/16 | 0/13 | 0/15 | 0/17 | 0/78 | EAD | PCR |
| Cryptosporidium spp | 0/6 | 0/11 | NT | 0/13 | NT | 0/17 | 0/47 | EAD | PCR |
| Encephalitozoon cuniculi | 0/6 | 0/11 | NT | 0/13 | NT | 0/17 | 0/47 | EAD | PCR |
| Fungi | | | | | | | | | |
| Pneumocystis murina | NT | 0/11 | NT | 0/13 | NT | 0/17 | 0/41 | EAD | PCR |
| Testing laboratory | | | | | | | | | |
| Lab report nos. | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | Compath, GMG | Screen 2582 & 2587 | Screen 2626, Screen 2645 | |
| Maximum barrier | | | | | | | | | |
| | Nov-24 | Feb-25 | May-25 | Aug-25 | Nov-25 | Feb-26 | Past 18 mths | Sample System | Test Method |
| Viruses | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | pos/neg | | |
| Mouse Hepatitis Virus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Mouse Parvovirus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Minute Virus of Mice | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Mouse Rotavirus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Theiler`s Encephalomyelitis virus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |

Australian BioResources
Final Health Screening Summary Report - Sale Strains



| | | | | | | | | | |
|------------------------------|-----|-----|------|------|------|------|-------|--------|-------------|
| Mouse Norovirus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Pneumonia Virus of Mice | 0/1 | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/57 | EAD | PCR |
| Adenovirus Type 1&2 | NT | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/56 | EAD | PCR |
| Hantaan Virus | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Ectromelia | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| LCMV | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Murine Cytomegalovirus | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Polyoma Virus | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Reovirus Type 3 | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Sendai Virus | NT | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/56 | EAD | PCR |
| K Virus | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Mouse Kidney Parvovirus | NT | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/56 | EAD | PCR |
| Bacteria | | | | | | | | | |
| Mycoplasma pulmonis | 0/1 | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/57 | EAD | PCR |
| Helicobacter spp | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| CAR Bacillus | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Clostridium piliforme | 0/1 | 0/3 | NT | N/T | NT | 0/21 | 0/25 | EAD | PCR |
| Bordetella bronchiseptica | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Citrobacter rodentium | 0/1 | 0/3 | NT | N/T | NT | 0/21 | 0/25 | EAD | PCR |
| Corynebacterium bovis | 0/1 | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/57 | EAD | PCR |
| Corynebacterium kutscheri | 0/1 | 0/3 | NT | N/T | 0/37 | 0/56 | 0/97 | CM/EAD | Culture/PCR |
| Klebsiella oxytoca | 0/1 | 0/3 | 0/11 | N/T | 0/37 | 0/56 | 0/108 | CM/EAD | Culture/PCR |
| Klebsiella pneumoniae | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Pasteurella pneumotropica | 0/1 | 0/3 | 0/21 | 0/22 | 0/37 | 0/56 | 0/140 | CM/EAD | Culture/PCR |
| Other Pasteurellaceae | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Pseudomonas aeruginosa | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Proteus mirabilis | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Salmonella spp. | 0/1 | 0/3 | NT | N/T | N/T | 0/21 | 0/25 | EAD | PCR |
| Staphylococcus aureus | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/56 | 0/114 | CM/EAD | Culture/PCR |
| Streptobacillus moniliformis | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |

Australian BioResources
Final Health Screening Summary Report - Sale Strains



| | | | | | | | | | |
|-------------------------------|---------------|---------------|---------------|---------------|-------------------|---------------|---------------|-----|---------|
| Streptococcus pneumoniae | 0/1 | 0/3 | 0/11 | N/T | 0/37 | 0/35 | 0/87 | CM | Culture |
| Beta-haemolytic Streptococcus | 0/1 | 0/6 | 0/21 | N/T | 0/37 | 0/35 | 0/100 | CM | Culture |
| Parasites | | | | | | | | | |
| Fur mites | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Syphacia spp | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Aspicularis tetraptera | 0/1 | 0/3 | 0/11 | 0/22 | 0/21 | 0/21 | 0/79 | EAD | PCR |
| Giardia muris | 0/1 | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/57 | EAD | PCR |
| Spirochete muris | 0/1 | 0/3 | 0/11 | N/T | 0/21 | 0/21 | 0/57 | EAD | PCR |
| Cryptosporidium | 0/1 | 0/3 | NT | N/T | NT | 0/21 | 0/25 | EAD | PCR |
| Encephalitozoon cuniculi | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Fungi | | | | | | | | | |
| Pneumocystis murina | NT | 0/3 | NT | N/T | NT | 0/21 | 0/24 | EAD | PCR |
| Testing laboratory | | | | | | | | | |
| | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | Compath & GMG | | |
| Lab report nos. | Screen 2092 | Screen 2187 | Screen 2377 | Screen 2508 | Screen 2582, 2587 | Screen 2627 | | | |