

Australian BioResources
Final Health Screening Summary Report- Client Strains



Location- Standard barrier level 2

Client Strains - Biobubbles 3, 4, 9

	Feb-25	May-25	Aug-25	Nov-25	Feb-26	May-26	Past 18 mths	Sample System	Test Method
Viruses	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg		
Mouse Hepatitis Virus	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Mouse Parvovirus	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Minute Virus of Mice	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Mouse Rotavirus	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Theiler's Encephalomyelitis virus	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Mouse Norovirus	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Pneumonia Virus of Mice	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Adenovirus Type 1&2	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Ectromelia	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Hantavirus	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
LCMV	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Murine Cytomegalovirus	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Polyoma Virus	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Reovirus Type 3	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Sendai Virus	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
K Virus	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
MKPV	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Bacteria									
Mycoplasma pulmonis	NT	NT	NT	0/33	NT	NT	0/33	EAD	PCR
Helicobacter spp	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
CAR Bacillus	NT	NT	N/T	0/33	NT	NT	0/33	EAD	PCR
Clostridium piliforme	NT	NT	N/T	0/33	NT	NT	0/33	EAD	PCR

Australian BioResources
Final Health Screening Summary Report- Client Strains



Bordetella bronchiseptica	0/62	NT	N/T	N/T	0/64	NT	0/126	CM	Culture
Citrobacter rodentium	0/62	NT	N/T	0/33	NT	NT	0/95	EAD	PCR
Corynebacterium bovis						0/33	0/33	EAD	PCR
Corynebacterium kutscheri	0/62	NT	N/T	0/33	0/64	NT	0/159	CM/EAD	Culture/PCR
Klebsiella oxytoca	0/62	NT	N/T	0/33	0/64	NT	0/159	CM/EAD	Culture/PCR
Klebsiella pneumoniae	0/62	NT	N/T	NT	0/64	NT	0/126	CM	Culture
Pasteurella pneumotropica					0/64**See				
	36/27	NT	48/16	33/0	note	NT	117/107	CM/EAD	Culture/PCR
Other Pasteurellaceae	0/62	NT	N/T	NT	0/64	NT	0/126	CM	Culture
Pseudomonas aeruginosa	0/62	NT	N/T	NT	0/64	NT	0/126	CM	Culture
Proteus mirabilis	0/62	NT	N/T	NT	0/64	NT	0/126	CM	Culture
Salmonella spp.	NT	NT	N/T	0/33	NT	NT	0/33	EAD	PCR
Staphylococcus aureus	* See notes	0/33	0/33	0/33	0/97	0/33	1/229*See notes	CM/EAD	Culture/PCR
Streptococcus pneumoniae	NT	NT	NT	0/33	0/64	NT	0/97	CM/EAD	Culture/PCR
Streptococcus moniliformis				0/33	NT	NT	0/33	EAD	PCR
Beta-haemolytic Streptococcus	NT	NT	NT	NT	0/64	NT	0/64	CM	Culture
Parasites									
Fur mites	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Syphacia spp	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Aspicularis tetraptera	0/33	0/33	0/33	0/33	0/33	0/33	0/198	EAD	PCR
Giardia muris	NT	0/33	N/T	0/33	NT	NT	0/66	EAD	PCR
Spiroplasma muris	NT	0/33	N/T	0/33	NT	NT	0/66	EAD	PCR
Cryptosporidium	NT	NT	N/T	0/33	NT	NT	0/33	EAD	PCR
Encephalitozoon cuniculi	NT	NT	N/T	0/33	NT	NT	0/33	EAD	PCR
Testing laboratory	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG			
Lab report nos.	Screen 2183	Screen 2381	Screen 2506	Screen 2585	Screen 2630	Screen 2662			

Note * All client strains are free from S. aureus

Note ** Pasteurella pneumotropica was tested from cage mice and bacterial culture, organism was not detected in February 2026 screen.

Sampling System Used

Exhaust Air Duct (EAD)

Colony mice (CM)

Australian BioResources
Final Health Screening Summary Report- Client Strains



Location- Standard barrier level 1

Client Strains - Biobubbles 5 & 7

	Feb-25	May-25	Aug-25	Nov-25	Feb-26	May-26	Past 18mths	Sample System	Test Method
Viruses	pos-neg	pos-neg	pos-neg	pos-neg	pos/neg	pos/neg	pos/neg		
Mouse Hepatitis Virus	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Mouse Parvovirus	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Minute Virus of Mice	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Mouse Rotavirus	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Theiler's Encephalomyelitis virus	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Mouse Norovirus	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
Pneumonia Virus of Mice	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Adenovirus Type 1&2	NT	NT	N/T	N/T	NT	0/17	0/17	EAD	PCR
Ectromelia	NT	NT	N/T	N/T	NT	0/17	0/17	EAD	PCR
Hantavirus	NT	NT	N/T	N/T	NT	0/17	0/17	EAD	PCR
LCMV	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Murine Cytomegalovirus	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Polyoma Virus	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Reovirus Type 3	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Sendai Virus	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
K Virus	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
MKPV	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Bacteria									
Mycoplasma pulmonis	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Helicobacter spp	0/18	0/18	0/18	0/18	0/17	0/17	0/106	EAD	PCR
CAR Bacillus	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Clostridium piliforme	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Bordetella bronchiseptica	NT	0/18	N/T	N/T	NT	0/32	0/50	CM	Culture
Citrobacter rodentium	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Corynebacterium bovis	NT	0/18	N/T	0/18	NT	0/17	0/53	EAD	PCR
Corynebacterium kutscheri	NT	0/18	N/T	N/T	NT	0/49	0/67	CM/EAD	Culture/PCR
Klebsiella oxytoca	NT	0/18	N/T	N/T	NT	1/48	1/66	CM/EAD	Culture/PCR

Australian BioResources
Final Health Screening Summary Report- Client Strains



Klebsiella pneumoniae	NT	0/18	N/T	N/T	NT	0/32	0/50	CM	Culture
Pasteurella pneumotropica	0/18	0/18	0/18	1/17	0/17	0/49	1/137	CM/EAD	Culture/PCR
Other Pasteurellaceae	NT	0/18	N/T	0/33	NT	0/32	0/83	CM	Culture
Pseudomonas aeruginosa	NT	0/18	N/T	0/33	NT	0/32	0/83	CM	Culture
Proteus mirabilis	NT	0/18	N/T	0/33	NT	0/32	0/51	CM	Culture
Salmonella spp	NT	0/18	N/T	N/T	NT	0/17	0/35	EAD	PCR
Staphylococcus aureus	*See notes	*See notes	0/18	0/18	0/17	0/49	0/102	CM/EAD	Culture/PCR
Streptococcus pneumoniae	NT	0/18	NT	0/33	NT	0/32	0/83	CM	Culture
Streptobacillus moniliformis						0/17	0/17	EAD	PCR
Beta-haemolytic Streptococcus	NT	0/18	N/T	0/33	NT	0/32	0/83	CM	Culture
Parasites									
Fur mites	0/18	0/18	0/18	0/18	0/17	0/17	0/107	EAD	PCR
Syphacia spp	0/18	0/18	0/18	0/18	0/17	0/17	0/125	EAD	PCR
Aspicularis tetraptera	0/18	0/18	0/18	0/18	0/17	0/17	0/125	EAD	PCR
Giardia muris	NT	0/18	N/T	N/T	NT	0/17	0/36	EAD	PCR
Spiroplasma muris	NT	0/18	N/T	N/T	NT	0/17	0/36	EAD	PCR
Cryptosporidium	NT	0/18	N/T	N/T	NT	0/17	0/36	EAD	PCR
Encephalitozoon cuniculi	NT	0/18	N/T	N/T	NT	0/17	0/18	EAD	PCR
Fungi									
Pneumocystis murina	NT	0/18	N/T	0/18	NT	0/17	0/36	EAD	PCR

Testing laboratory	GMG	Compath & GMG	Compath & GMG	Compath & GMG	GMG	Compath and GMG	
Lab report nos.	Screen 2185	Screen 2379	Screen 2507	Screen 2586	Screen 2629	Screen 2661	

*Notes-

All client strains are free from S. aureus

Sampling System Used

Exhaust Air Duct (EAD)

Colony mice (CM)

Australian BioResources
Final Health Screening Summary Report- Client Strains



Location- Maximum barrier

Client strains - Biobubble 1 & Bubble 6

	Feb-25	May-25	Aug-25	Nov-25	Feb-26	May-26	Past 18 mths	Sample System	Test method
Viruses	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg	pos/neg		
Mouse Hepatitis Virus	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Mouse Parvovirus	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Minute Virus of Mice	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Mouse Rotavirus	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Theiler's Encephalomyelitis virus	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Mouse Norovirus	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Pneumonia Virus of Mice	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR
Adenovirus Type 1&2	NT	NT	N/T	0/22	NT	0/22	0/44	EAD	PCR
Ectromelia	NT	NT	N/T	0/22	NT	0/22	0/44	EAD	PCR
Hantavirus	NT	NT	N/T	NT	NT	0/22	0/22	EAD	PCR
LCMV	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Murine Cytomegalovirus	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Polyoma Virus	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Reovirus Type 3	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Sendai Virus	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR
K Virus	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
MKPV	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR
Bacteria									
Mycoplasma pulmonis	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR
Helicobacter spp	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
CAR Bacillus	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Clostridium piliforme	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR

Australian BioResources
Final Health Screening Summary Report- Client Strains



Bordetella bronchiseptica	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Citrobacter rodentium	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Corynebacterium bovis	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR
Corynebacterium kutscheri	NT	0/22	N/T	0/22	NT	0/63	0/107	CM/EAD	Culture/PCR
Klebsiella oxytoca	NT	0/22	N/T	0/22	NT	0/63	0/107	CM/EAD	Culture/PCR
Klebsiella pneumoniae	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Pasteurella pneumotropica	0/22	3/19	0/22	0/22	0/22	0/63	3/170	CM/EAD	Culture/PCR
Other Pasteurellaceae	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Pseudomonas aeruginosa	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Proteus mirabilis	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Salmonella spp	NT	0/22	N/T	NT	NT	0/22	0/44	EAD	PCR
Staphylococcus aureus	*See notes	*See notes	0/22	0/44	0/22	0/63	*See notes 2/151	CM/EAD	Culture/PCR
Streptobacillus moniliformis						0/22	0/22	EAD	PCR
Streptococcus pneumoniae	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Beta-haemolytic Streptococcus	NT	0/22	N/T	0/22	NT	0/41	0/85	CM	Culture
Parasites									
Fur mites	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Syphacia spp	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Aspicularis tetraptera	0/22	0/22	0/22	0/22	0/22	0/22	0/132	EAD	PCR
Giardia muris	NT	0/22	NT	0/22	0/22	0/22	0/88	EAD	PCR
Spironucleus muris	NT	0/22	NT	0/22	0/22	0/22	0/88	EAD	PCR
Cryptosporidium	NT	0/22	NT	NT	NT	0/22	0/44	EAD	PCR
Encephalitozoon cuniculi	NT	0/22	NT	NT	NT	0/22	0/44	EAD	PCR
Fungi									
Pneumocystis murina	NT	0/22	N/T	0/22	NT	0/22	0/66	EAD	PCR

Testing laboratory	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG	Compath & GMG
Lab report nos.	Screen 2186	Screen 2378	Screen 2508	Screen 2588	Screen 2628	Screen 2660, 2676

Note * All client strains are free from S. aureus

Sampling System Used

Exhaust Air Duct (EAD)

Colony mice (CM)